

know  
follow

1. I  
of  
Co  
Int  
Pl  
Me  
NY  
Cli  
Co

2. I  
pra  
at  
cor  
tr  
ce

3. I  
cor

The E

4. A  
ex  
Ac  
27  
av  
ra

5. A  
we  
20%  
g

1) John's F  
up  
2) C  
ht  
3) E  
ht



failur CO 40

10. It is and

11. The treat

12. The health trac equi con dist CO

risks of hospitalization and death are significantly higher for those aged 65 years and older, especially for those aged 75 years and older. The risk of hospitalization and death is nearly 50% higher for those aged 75 years and older compared to those aged 65 years and older. The risk of hospitalization and death is nearly 100% higher for those aged 85 years and older compared to those aged 65 years and older. The risk of hospitalization and death is nearly 200% higher for those aged 95 years and older compared to those aged 65 years and older. The risk of hospitalization and death is nearly 300% higher for those aged 105 years and older compared to those aged 65 years and older.

**Detention**

13. The jails throughout the country are overcrowded and lack adequate ventilation, lighting, and other basic necessities. This presents a significant health risk to the thousands of people who are detained in these facilities. The risk of infection and other health problems is significantly higher in these facilities compared to the general population. The risk of infection and other health problems is nearly 100% higher in these facilities compared to the general population. The risk of infection and other health problems is nearly 200% higher in these facilities compared to the general population. The risk of infection and other health problems is nearly 300% higher in these facilities compared to the general population. The risk of infection and other health problems is nearly 400% higher in these facilities compared to the general population.

14. The increase in the number of people detained in these facilities has led to a significant increase in the number of deaths. The number of deaths has increased by nearly 100% in these facilities compared to the general population. The number of deaths has increased by nearly 200% in these facilities compared to the general population. The number of deaths has increased by nearly 300% in these facilities compared to the general population. The number of deaths has increased by nearly 400% in these facilities compared to the general population. The number of deaths has increased by nearly 500% in these facilities compared to the general population.

<sup>9</sup> Johns Hopkins University, <https://coronavirus.jhu.edu/>

<sup>10</sup> Wang et al., *Journal of the American Medical Association*, 2020; doi:10.1001/jama.2020.10491

<sup>11</sup> <https://www.cdc.gov/media/releases/2020/s110320-novel-coronavirus-11.html>

<sup>12</sup> Leung et al., *Journal of the American Medical Association*, 2020; doi:10.1001/jama.2020.10491

15

16

17

18


19

20

21

**Kr**

<sup>13</sup>Se  
Com  
face-



lies  
wi

es  
vi  
om  
ent  
nd  
pul  
s re

lies  
s ve

nd  
d c

elar  
wing  
arat  
s a p  
CI  
m

nc  
FC  
en  
as  
S-C  
3

2. It is important to note that the incidence of infection is high in the community. A recent study in the United Kingdom reported a prevalence of 10% in a community sample. This is in contrast to the low prevalence reported in other studies. The reasons for this are unclear but may be due to differences in the methods used or the population studied.

3. A recent study in the United Kingdom reported a prevalence of 10% in a community sample. This is in contrast to the low prevalence reported in other studies. The reasons for this are unclear but may be due to differences in the methods used or the population studied.

4. The results of this study suggest that the prevalence of infection is high in the community. This is in contrast to the low prevalence reported in other studies. The reasons for this are unclear but may be due to differences in the methods used or the population studied.

5. The results of this study suggest that the prevalence of infection is high in the community. This is in contrast to the low prevalence reported in other studies. The reasons for this are unclear but may be due to differences in the methods used or the population studied.

5. Evidence from this study suggests that the prevalence of infection is high in the community. This is in contrast to the low prevalence reported in other studies. The reasons for this are unclear but may be due to differences in the methods used or the population studied.

Id. ("I...")  
 here of...  
 special...  
 Nature...  
 bid. ...  
 bid. ...  
 bid. ...  
 bid. ...  
 bid. ...

scale of...  
 h the...  
 at ability...  
 ed the...  
 ible f...  
 A rec...  
 pread...  
 recomme...  
 e, CP...  
 e difficult...  
 ure s ar...  
 ty-based...  
 mrun...  
 0822-x...  
 6-020-...

neh d as...  
 ec om...  
 of disea...  
 spread...  
 VII-19...  
 is 2-14...  
 otoms...  
 low sym...  
 over p...  
 availabl...  
 that is...  
 ion there...  
 clarati...  
 the inct...  
 durin...  
 tonatic...  
 asymp...  
 ts to a h...  
 e boir...  
 to COV...  
 related...  
 rious ep...  
 on va...  
 tomatic...  
 sympt...  
 e with n...  
 Peopl...  
 d) and w...  
 e teste...  
 lieve tha...  
 sts bel...  
 al popul...  
 a glob...  
 hree stud...  
 views...  
 tomatic...  
 sympt...  
 pah and...  
 ina, Ja...  
 ies found...  
 e stud...  
 sympton...  
 ere a...  
 ibility of...  
 f the...  
 disease...  
 spread...  
 harynx...



The a  
and t  
symp  
trans  
impo  
pand

27. The l  
all ac  
facili

28. The s  
will c

## B

29. The C  
Decla

30. Coho  
cases  
as a g  
2019  
Guida  
used c  
have c  
cohor  
infect

31. The C  
guida  
cohor  
last re  
indivi  
their c  
Guida

32. The C  
no ind  
recom  
masks

20 Wycliffe E  
IC, 2020, htt  
21 Centers fo  
19 in Correc  
ncv/downlo  
nc

33. Finally, testing 1

C.

34. The Ca<sub>s</sub> detailed pandemic

35. The CE<sub>s</sub> (keeping for minutes or blowing touching recommend contain

36. Individu purporte centers. density and toile changed

37. Detentic are large is essent

38. Congreg passed b containi sleeping for great by stand allow fo by publi

39. In concl last resoi guidelin men and and there my prof

22 <https://www.>

gov/prepare pr  
19.  
elities in the generat with  
head p the ne presid comr  
ygie  
ev  
t "colle" sho  
et entic in fa cilities es re  
ng unjess F responblg  
e from a d retained ta  
lity to a dloy soe  
durin the COVI se com  
3 the  
select  
t ve  
ctiv  
y h  
anc  
ing e manner wit  
on d igh risk o cel  
Dei sc  
Clai  
the eses vario s  
bet fol ion are not se  
ond ves  
use s af  
nds of h towng wa s  
all s o a persons) fit out the plemer  
ol. 2 urfa ter being i pectri acti infl d pre  
and saniti erul ig ar  
blis e nose, e es v  
and he es with E A a  
es, mi  
etw sh  
e un e accounts y  
e en igation ef oric  
curr its ilder-to-s or's Prote eself: sures  
and led and F an frequent land washi he CC  
est bri all suggest th kolie pl or after de  
he s bli andemic at with a ceo t 60% h  
bre ons, despite e registe ath. lis infe al with  
ow f hing the f row  
ugh Gr t ad of this isen  
Shacou  
hare req  
A. Av e e rapid sp rea with a sts questio ore.  
ny ord ghing and snele." se jail? brise its tl  
dis f th dining ha s, es in sle atin g quan  
and uipment ac b n any epin g quan  
hile facil tie a any rout ing prig he ef  
guit ese shared fas  
way deli ing or regul apit mi actineals  
anc for r nriendght pe con s ad v  
rge ng sc ed le evels c ces h  
ng a cal aes require th  
immigratio al c i e

40

0.

t'

tl

o

p

C

re

T

It

se

a

p

tr

ve

I c

et

fp

N

feel

eg

o

Jos

As

W

Div

52

Ne

213

E

Josw

2-7

92

